




| TRUSS SCHEDULE | |
|----------------|-------------|
| ELEMENT | DESCRIPTION |
| TOP CHORD | 40x2.0 SHS |
| WTB CHORD | 40x2.0 SHS |
| WEB | 40x2.0 SHS |







TYPICAL TRUSS 1 ELEVATION
(OTHER TRUSSES SIMILAR)
SCALE 1:20




HG1220 - PLAN VIEW
Ø1007mm TANK x 2.2m HIGH
SCALE 1:100



HG1220 - ELEVATION
SCALE 1:100



TYPICAL BOLTING ARRANGEMENT
SCALE 1:20



DETAIL 1:20

DESIGN CRITERIA
AS/NZS 1170.2, 2002 (MINI ACTIONS)
AS/NZS 1170.1, 2002 (IMPD CATEGORY 2)
IMPORTANCE LEVEL 2

- NOTES:**
1. WALL SHEET STEEL GRADE C350
 2. ROOF SHEETING 0.42mm CUSTOM GFR SHEETING, MIN 5 TENS PER CONNECTION PER SHEET & EQUIVALENT SPACING
 3. CIRCUMFERENTIAL TEX FINISH TO TOP OF TANK
 4. ROOF SHEETING TO BE SIDE LAP FASTENED AT MAX 1.0m C/C
 5. ALL BOLTS GRADE M10 (8.8) CALV.
 6. ROOF TRUSS STEEL GRADE C350
 7. MIN FLEET WELD SIZE OF 4mm



WA STRUCTURAL CONSULTANTS
ENGINEERS PTY LTD
30 MCKINLAY AVENUE
PADBURRY, WA, 6025
www.wastructural.com.au

SEVIN CLEMENTS
(B. Eng) Structural Engineer
MEMBER - 2224450

Heritage Tanks Australia Pty Ltd
Head Office
28 Boulder Road
Malaga WA 6090
Tel: + 61 8 9248 6199
Fax: + 61 8 9248 8299

| NO. | DATE | REVISION |
|-----|----------|----------------------|
| 0 | 23/04/13 | ISSUED FOR TENDERS |
| 1 | 27/03/13 | ISSUED FOR REFERENCE |

| NO. | DATE | REVISION |
|-----|----------|----------------------|
| 0 | 23/04/13 | ISSUED FOR TENDERS |
| 1 | 27/03/13 | ISSUED FOR REFERENCE |

| NO. | DATE | REVISION |
|-----|----------|----------------------|
| 0 | 23/04/13 | ISSUED FOR TENDERS |
| 1 | 27/03/13 | ISSUED FOR REFERENCE |

| NO. | DATE | REVISION |
|-----|----------|----------------------|
| 0 | 23/04/13 | ISSUED FOR TENDERS |
| 1 | 27/03/13 | ISSUED FOR REFERENCE |

| NO. | DATE | REVISION |
|-----|----------|----------------------|
| 0 | 23/04/13 | ISSUED FOR TENDERS |
| 1 | 27/03/13 | ISSUED FOR REFERENCE |